THIS COPY IS PROVIDED ON A RESTRICTED BASIS AND IS NOT TO BE USED IN ANY WAY DETRIMENTAL TO THE INTERESTS OF PANDUIT CORP.

					BARREL									
PANDUIT PART NUMBER	CONDUCTOR SIZE	STUD SIZE	OVERALL LENGTH "A" +/12	BARREL LENGTH "B" MIN	I.D. +/01	O.D. +/01	TONGUE WIDTH "W" +/06	TONGUE THICKNESS "T" +/02	TÖNGUE LENGTH "P" MIN	HOLE OFFSET "G" +/03	STUD HOLE DIA "D" +/02	WRENCH CLEARANCE "C" REF	WIRE STRIP LENGTH	PANDUIT DIE COLOR CODE PANDUIT DIE INDEX NUMBER (BURNDY DIE INDEX NUMBER)
LAA6-14-X LAA6-56-X	#6 AWG	1/4" 5/16"	2.22	0.81	0.20	0.34	0.55	0.11	0.88	0.44	0.28 0.34	0.44	1"	GRAY DIE P29 (346)
LAA4-14-X		1/4"									0.28			, ,
LAA4-56-X	#4 AWG	5/16"	2.32	0.88	0.27	0.47	0.66	0.17	1.00	0.44	0.34	0.56	1-1/16"	GREEN DIE P37 (375)
LAA4-38-X		3/8"									0.41			F37 (373)
LAA2-14-X		1/4"					l				0.28			PINK DIE
LAA2-56-X	#2 AWG	5/16"	2.63	1.00	0.31	0.53	0.79	0.17	1.12	0.44	0.34	0.68	1"	P42 (348)
LAA2-38-X		3/8" 1/4"									0.41			, ,
LAA1-14-X LAA1-56-X	#1 AWG	5/16"	2.63	1.00	0.35	0.53	0.75	0.17	1.12	0.44	0.28	0.68	1"	GOLD DIE
LAA1-38-X	#1 AVV G	3/8"		1.00	0.55	0.55	0.75	0.17	1.12	0.44	0.34	0.08	1	P45 (471)
LAA1/0-56-X		5/16"									0.34			
LAA1/0-38-X	#1/0 AWG	3/8"	3.22	1.25	0.39	0.64	0.88	0.25	1.25	0.63	0.41	0.62	1-9/16"	TAN DIE
LAA1/0-12-X	· ·	1/2"									0.53			P50 (296)

- P MIN. ——■ — С REF. O.D.

NOTES:

- 1. MATERIAL: SEAMLESS ALUMINUM TUBING, TIN PLATED
- 2. BARREL COLOR CODED WITH DIE SET INDEX NUMBER
- 3. FOR STRANDED ALUMINUM AND COPPER WIRE
- 4. UL LISTED & CSA CERTIFIED TEMPERATURE RATED 90°C (AL9CU)
- 5. UL LISTED & CSA CERTIFIED VOLTAGE RATING 35 KV
- 6. ALL DIMENSIONS IN INCHES





T	B PLASTIC PLUG (INTERNAL) I.D. BEVELED WIRE ENTRY
	OXIDE INHIBITOR JOINT COMPOUND

							TITLE
06	12/15	JHNU	JHNU	RGB	REVISED A DIM FOR LAA6: 2.22 WAS 2.19 REVISED A DIM FOR LAA4: 2.32 WAS 2.22 REVISED A DIM FOR LAA1: 2.63 WAS 2.56 REVISED A DIM FOR LAA1/0: 3.22 WAS 3.23	N41203BA-C41203	ITEM REV
05	8/15	JHNU	JHNU	RGB	ADDED "D" DIMENSION	N41203BA-C41203	1
04	3/15	JHNU	JHNU	RGB	REVISED DIMENSIONS REVISED NOTES ADDED BARREL MARKING ADDED COLOR CODE/DIE INDEX NUMBER	N41203BA-C41203	DIMI
03	10/14	JHNU	JHNU	RGB	REVISED I.D. FOR LAA1: .35 WAS .31	N41203BA-C41203	.x
02	3/13	JHNU	JHNU	RGB	REVISED TITLE BLOCK CONVERTED TO SOLIDWOKRS	N41203BA-C41203] {
REV	DATE	BY	СНК	APR	DESCRIPTION	ECN	DRAWN

LAA SERIES #6-1/0 ALUMINUM LUGS CUSTOMER DRAWING

NONE

REVISION NAME N41203BA-C41203/06 SET FILE NAME C41203/06.SLDDRW UNLESS OTHERWISE SPECIFIED, MENSIONAL TOLERANCES ARE: IN [mm] .XXX ± XX ± ANGLES ±

SEE NOTES

THIRD ANGLE DRAWING NUMBER C41203

SHEET 1 OF 1

В

PROJECTION DATE SCALE TSMA 9/96