


IB IL DOR LV-SET-PAC

Order No.: 2861645

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2861645>

Inline distance terminal, complete with accessories

Commercial data	
GTIN (EAN)	 4 017918 894481
sales group	K417
Pack	1 pcs.
Customs tariff	85369010
Catalog page information	Page 269 (AX-2009)

Product notesWEEE/RoHS-compliant since:
11/27/2007

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Product description

The Inline distance terminals have been designed for use within an Inline station.

Within an Inline station, a relay terminal can be used to switch voltages that are not available in the segment in which the terminal is located (e.g. switching 230 V AC within a 24 V DC segment). In this case, place a distance terminal before and after the relay terminal block. Doing so maintains the isolating distance between the individual areas.

The distance terminals interrupt the potential jumpers for the main voltage, segment voltage, ground, and functional earth ground. Lines are not connected to these terminals.

Technical data

Interfaces

Type of connection	Inline data jumper
Interface	Inline local bus

General data

Weight	32 g
Width	24.4 mm
Height	119.8 mm
Depth	71.5 mm

Certificates / Approvals



Certification

ABS, BV, CUL, DNV, GL, GOST, LR, UL

Accessories


Item	Designation	Description
------	-------------	-------------

Marking


0809492	ESL 62X10	Insert strip for laser printer, lettering field: 62 x 10 mm
---------	-----------	---

Diagrams/Drawings

Dimensioned drawing



Schematic diagram



Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact
Technical modifications reserved;