

121-63560

HellermannTyton



Article Number: 121-63560

Description: Kabelrap Tie, 14" Long, 110lb Tensile Strength, PA66UV, Black, 50/pkg

Base Data	
Local Order Number	121-63560
Type	KR6/35
Color	Black (BK)
Features and Benefits	<ul style="list-style-type: none"> • Kabelrap tie offers a smooth strap providing secure assembly without damaging cables or hoses. • Curved head design provides full circumferential compression which offers vibration resistance.
Quantity Per	bag
Product Description	The patented Kabelrap cable tie design offers a smooth strap which is locked into place with a glass fiber reinforced pin. The curved head design provides full circumferential compression around the bundle or harness. Once applied with the required KR6/8 manual tool, the tie offers a secure and vibration resistant assembly.
Short Description	Kabelrap Tie, 14" Long, 110lb Tensile Strength, PA66UV, Black, 50/pkg
Product Dimensions	
Minimum Tensile Strength (Imperial)	110.0lbs
Minimum Tensile Strength (Metric)	490.0N
Length L (Imperial)	14.0"
Length L (Metric)	360mm
Fixation Method	Cable Tie
Identification Plate Position	none
Releasable Closure	No
Tie Closure	fibreglass pin
Variant	No Serration
Width W (Imperial)	0.24"
Width W (Metric)	6.1mm
Cable Tie Width Max. (Imperial)	0.25"
Cable Tie Width Max. (Metric)	6.4mm
Bundle Diameter Min. (Imperial)	0.19"

121-63560



Product Dimensions	Bundle Diameter Min. (Metric)	4.7mm
	Bundle Diameter Max. (Imperial)	3.7"
	Bundle Diameter Max. (Metric)	93.0mm
	Thickness T (Imperial)	0.06"
	Cable Tie Head Width (Imperial)	0.37"
	Thickness T (Metric)	1.6mm
Material and Specifications		
	Material	Polyamide 6.6 UV-resistant (PA66UV)
	Material Shortcut	PA66W
	Flammability	UL 94 V2
	Minimum Application Temperature	-
	Operating Temperature	-40°F to +185°F (-40°C to +85°C)
	REACH Compliant (Article 33)	Yes
	ROHS Compliant	Yes
Certification/Specification	DNV GL IEC 62275:2006	
Logistic and Packaging		
	Package Quantity (Imperial)	50
	Package Quantity (Metric)	50Pieces
	Customs Number(Schedule B)	3926909987
	Content Unit (BMEcat)	pieces
	Weight (Metric)	3.17kg