



## 364W20K

**364 Series Trimmer, 20 kOhm, 0.5 W, 25 Turns, Square Body, Vertical Shaft**

*Representative photograph, actual product appearance may vary.*

*Due to regional agency approval requirements, some products may not be available in your area. Please contact your regional Honeywell office regarding your product of choice.*

### Features

- 0.5 Watt
- Cermet element
- Low cost
- Superior setability and stability
- CRV to 3 % or 3 Ohms
- Contact idles at stops

### Typical Applications

- Voltage divider circuits
- Telecommunications

### Description

The 364 Series is a low cost, 9.53 mm (3/8 in.) square, multi-turn trimmer. Made in accordance to MIL-R-22097 standards, the 364 is sealed for cleaning in common solvents.


## Product Specifications

Product Type	Trimmer
Watts	0.5 W
Turns	25
Element Type	Cermet
Resistance Value	20 kOhm
Resistance Tolerance	± 10 %
Temperature Coefficient	± 100 ppm/ °C
Body	9,53 mm [0.375 in] square
Shaft Location	Vertical
Rotational Life	200 cycles
Series Name	364 Series
Availability	Global
UNSPSC Code	4111363300
UNSPSC Commodity	4111363300 Potentiometers

# Honeywell

## 364W20K

364 Series Trimmer, 20 kOhm, 0.5 W, 25 Turns, Square Body, Vertical Shaft



## 364W20K

364 Series Trimmer, 20 kOhm, 0.5 W, 25 Turns, Square Body, Vertical Shaft

### **WARNING**

#### **PERSONAL INJURY**

DO NOT USE these products as safety or emergency stop devices, or in any other application where failure of the product could result in personal injury.

**Failure to comply with these instructions could result in death or serious injury.**

### **WARNING**

#### **MISUSE OF DOCUMENTATION**

- The information presented in this product sheet (or catalog) is for reference only. DO NOT USE this document as product installation information.
- Complete installation, operation and maintenance information is provided in the instructions supplied with each product.

**Failure to comply with these instructions could result in death or serious injury.**