



# PRODUCT DATASHEET

## Florentina series

last update 2/8/2016

### DETAILS


<b>Product Number</b>	FCA15451_FLORENTINA-1-M
<b>Family</b>	Florentina
<b>Type</b>	Assembly
<b>Color</b>	black
<b>Diameter</b>	39,7x39,7 mm
<b>Height</b>	17,552 mm
<b>Style</b>	square
<b>Optic Material</b>	PC
<b>Holder Material</b>	
<b>Fastening</b>	
<b>Status</b>	production ready
<b>ROHS Compliant</b>	Yes
<b>Date Updated</b>	2/08/2016




### OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
XHP35 HI	31 deg		77 %	2.500	-

Luminaire: Ledil FCA15451\_FLORENTINA-1-M\_(XHP35\_HI)  
Lamps: 1 x Cree\_XHP35\_HI\_412.464lm@250mA\_P=2.88075W\_I=0.25A



Luminaire: Ledil FCA15451\_FLORENTINA-1-M\_(XHP35\_HI)  
Lamps: 1 x Cree\_XHP35\_HI\_412.464lm@250mA\_P=2.88075W\_I=0.25A



cd/klm  
— C0 - C180 — C90 - C270

$\eta = 77\%$

**NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.**